

High-Performance Computing at Oak Ridge National Lab



Dr. Olaf O. Storaasli
Future Technologies Group
Computer Science & Mathematics Division
Oak Ridge National Laboratory



**UNIVERSITY OF
SASKATCHEWAN**

28 Sept '09

Olaf at Brunskill, Saskatoon (1957)




2D City Winners


Olaf



Standing (left to right)—Jay Buckwold, Gavin Koyl, Olaf Storaasli, Robert Tiffin, Bob Forrest, David Jamieson, Brian Randall.

Kneeling—John Deverell, David Morris, Colin McKenzie.



A man with a beard and a light-colored short-sleeved shirt stands behind a large, curved stone sign. He has his hands on the top edge of the sign and is smiling. The sign is made of large, light-colored stone blocks and is set on a base of smaller, darker stones. In the background, there is a large building with a prominent glass facade that tapers to a point at the top. To the right, there is a multi-story brick building with many windows. The sky is overcast and grey.

OAK RIDGE NATIONAL LABORATORY
MANAGED BY UT-BATTELLE
FOR U.S. DEPARTMENT OF ENERGY

ORNL “X-10” History

1st Graphite Plutonium Reactor => PNL



ORNL: DOE's #1 Energy & Science Lab, #1 Materials

- 4K employees + 3K guest researchers
- #1 Science Supercomputers: DOE+NSF
- \$1.3B+ **SNS**



See YouTube Video at:


<http://www.youtube.com/watch?v=N7gqaHwSxcg>



HPC in the age of massively parallel processing (MPP) architectures: what does this really mean?

Evolution of the fastest sustained performance in real simulations

~1 Exaflop/s
~10⁷ processing units




1.35 Petaflop/s
Cray XT5
1.5 10⁵ processor cores

1.02 Teraflop/s
Cray T_{3D}
1.5 10³ processors

1.5 Gigaflop/s
Cray YMP
0.8 10¹ processors



Million-fold increase in computing and data capabilities



Jaguar: World's most powerful computer

Designed for science from the ground up



Peak performance	2.3 PetaFLOPS
System memory	362 terabytes
Disk space	10.7 petabytes
Disk bandwidth	240+ gigabytes/second
Interconnect bandwidth	532 terabytes/second

Cray XT5 portion of Jaguar @ NCCS



Text
Text

2.3 PetaFLOPS
6-core AMD
224,256 cores
2.3 GHz
200 cabinets
362TB memory
Details: nccs.gov

Kraken

World's most powerful academic computer



Peak performance	0.615 petaflops, 0.967 PF in late 2009
System memory	100 terabytes
Disk space	3.3 petabytes (raw)
Disk bandwidth	30 gigabytes/second
Interconnect bandwidth	532 terabytes/second

Oak Ridge National Laboratory to get 3rd supercomputer

Machine part of \$215M research deal with NOAA

By Frank Munger

Thursday, September 24, 2009

OAK RIDGE - As part of its new five-year, \$215 million climate research agreement with the National Oceanic and Atmospheric Administration, Oak Ridge National Laboratory will be acquiring yet another supercomputer.

The procurement process for the new machine is in the works, and, by this time next year, ORNL should have three computers capable of **at least one petaflops** (1,000 trillion calculations per second), according to Jeff Nichols, ORNL's interim computing chief.


"It'll be in the **same class as Jaguar and Kraken**," Nichols said, referring to the two Cray XT5 systems already housed in the lab's National Center for Computational Sciences.



Storaasli - Sept 2009




ORNL and Jaguar setting the pace for scientific computing




Enabling breakthrough science


5 of top 10 ASCR science accomplishments in the past 18 months used LCF resources and staff




Electron pairing in HTSC cuprates
PRL (2007, 2008)




Shining a light on dark matter
Nature **454**, 735 (2008)




Modeling the full earth system



Fusion: Taming turbulent heat loss
PRL **99**, *Phys. Plasmas* **14**



Nanoscale nonhomogeneities in high-temperature superconductors
Winner of Gordon Bell prize



Stabilizing a lifted flame
Combust. Flame (2008)

Area	Project Name	M Hrs	Institution
Astrophysics	Multidimensional Simulations of Core Collapse Supernovae	75	ORNL
Materials Sciences	Nanoscale MC Simulateton of Mott Insulators, Cuprate Superconductors	45	ORNL
Chemical Sciences	An Integrated Approach to the Rational Design of Chemical Catalysts	30	ORNL
Climate	Climate-Science Development & Grand Challenge Team	30	NCAR
Combustion	High-Fidelity Simulations for Clean, Efficient Combustion of Alternative Fuels	30	SNL
Fusion Plasma Energy	V&V off Turbulent Transport in Fusion Plasma Simulations	30	UCSD
Climate	CHIMES: Coupled High-Resolution Modeling of the Earth System-Princeton	24	NOAA/GFDL
Fusion Plasma Energy	High-fidelity tokamak edge simulation for confinement of fusion plasma	20	NYU
Fusion Plasma Energy	Validation of Plasma Microturbulence for Finite-Beta Fusion Experiments	20	LLNL
Lattice Gauge Theory	Lattice QCD	20	UCSB
Life Sciences	Gating Mechanism of Membrane Proteins	15	UChicago
Materials Sciences	Electronic, Lattice & Mechanical Properties of Nano-Structured Bulk Materials	15	GM
Nuclear Physics	Nuclear Structure	15	ORNL
Combustion	Clean and Efficient Coal Gasifier Designs using Large-Scale Simulations	13	NETL
Chemistry	Modeling Hydronium & OH ⁻ Ions in H ₂ O & H ₂ O/Air Interface via path Integrals	12	Catech
Geological Sciences	Modeling Reactive Flows in Porous Media	10	LLNL
Accelerator Physics	Terascale Particle Accelerator: International Linear Collider Design & Modeling	8	SLAC
Computer Science	Performance Evaluation and Analysis Consortium End Station	8	ORNL
Biophysics	Physical of Recalcitrance to Hydrolysis of Lignocellulosic Biomass	6	ORNL
Astrophysics	Intermittency and Star Formation in Turbulent Molecular Clouds	5	UCSD
Astrophysics	The Via Lactea Project: A Glimpse into the Invisible World of Dark Matter	5	UCSC
Nanoelectronics	Petascale Simulations of Nan-electronic Devices	5	Purdue
Climate	Climate Sensitivity & Abrupt Climate Change	4	UWisconsin
Astrophysics	Models of Type Ia Supernovae	3	UCSC
Biophysics	Interplay of AAA+ molecular machines, DNA repair enzymes & sliding clamps	3	UCSD
Chemistry	Dynamically tunable ferroelectric surface catalysts	2	Upa
Chemical Sciences	Molecular Simulation of Complex Chemical Systems	2	PNNL
Climate	Simulation of Global Cloudiness	2	ColoradoSU
Fusion Plasma Energy	Gyrokinetic Steady State Transport Simulations	2	Gen Atomics
Fusion Plasma Energy	High Power Electromagnetic Wave Heating in the ITER Burning Plasma	2	ORNL

New algorithm to enable 1+ PFlop/s sustained performance in simulations of disorder effects in high- T_c superconductors


Models,
Methods,
& Implementation

Map to Hardware

Operations

System design

T. A. Maier
P. R. C. Kent
T. C. Schulthess
G. Alvarez
M. S. Summers
E. F. D'Azevedo
J. S. Meredith
M. Eisenbach
D. E. Maxwell
J. M. Larkin
J. Levesque




Superconductivity: a state of matter with zero electrical resistivity

Discovery 1911



Heike Kamerlingh Onnes (1853-1926)



Superconductor repels magnetic field
Meissner and Ochsenfeld, **Berlin 1933**



Microscopic Theory for Superconductivity 1957

PHYSICAL REVIEW

VOLUME 108, NUMBER 5

DECEMBER 1, 1957

Theory of Superconductivity*

J. BARDEEN, L. N. COOPER,† and J. R. SCHRIEFFER‡
Department of Physics, University of Illinois, Urbana, Illinois
(Received July 8, 1957)

A theory of superconductivity is presented, based on the fact that the interaction between electrons resulting from virtual exchange of phonons is attractive when the energy difference between the electrons states involved is less than the phonon energy, $\hbar\omega$. It is favorable to form a superconducting phase when this attractive interaction dominates the repulsive screened Coulomb interaction. The normal phase is described by the Bloch individual-particle model. The ground state of a superconductor, formed from a linear combination of normal state configurations in which electrons are virtually excited in pairs of opposite spin and momentum, is lower in energy than the normal state by amount proportional to an average $(\hbar\omega)^2$, consistent with the isotope effect. A mutually orthogonal set of excited states in

one-to-one correspondence with those of the normal phase is obtained by specifying occupation of certain Bloch states and by using the rest to form a linear combination of virtual pair configurations. The theory yields a second-order phase transition and a Meissner effect in the form suggested by Pippard. Calculated values of specific heats and penetration depths and their temperature variation are in good agreement with experiment. There is an energy gap for individual-particle excitations which decreases from about $3.5kT_c$ at $T=0^\circ\text{K}$ to zero at T_c . Tables of matrix elements of single-particle operators between the excited-state superconducting wave functions, useful for perturbation expansions and calculations of transition probabilities, are given.




BCS Theory generally accepted in the early 1970s

Courtesy of Thomas Schulthess


Sustained performance of DCA++ on Cray XT5

Weak scaling with number disorder configurations, each running on 128 Markov chains on 128 cores (16 nodes) - 16 site cluster and 150 time slides




The problem is...

- Power density increases with clock rate and logic density
- We cannot simply keep increasing power density



Computing has met a barrier

- In the “Good Old Days” performance doubled every 2 years
 - increased clock rate
 - architectural improvements
- But single threaded performance is increasingly limited by power & cooling



We have hit a “power wall”

Solution: Accelerators



Solution: Accelerators



Background: FPGAs & GPUs

Solution: Accelerators



Background: FPGAs & GPUs

Focus: Algorithms => Applications

Solution: Accelerators



Background: FPGAs & GPUs

Focus: Algorithms \Rightarrow Applications

Goal: Speed Supercomputers with FPGAs

Future Supercomputer Technologies



**Future
Technologies
Group**
oml

The logo for Future Technologies Group features the text "Future Technologies Group" in a bold, italicized font, with "oml" in a smaller font below it. The text is set against a background of a stylized circuit board or data stream.

**OAK
RIDGE**
National Laboratory

The logo for Oak Ridge National Laboratory features a green oak leaf icon to the left of the text "OAK RIDGE" in a bold, serif font, with "National Laboratory" in a smaller font below it.

Future Supercomputer Technologies

Commodity: 2^n multi \Rightarrow many core

Special: *El Dorado, Cyclops, PiM*




Future Supercomputer Technologies

Commodity: 2^n multi \Rightarrow many core

Special: *El Dorado, Cyclops, PiM*

Accelerators



ClearSpeed™

Future
Technologies
Group
oml





OAK
RIDGE
National Laboratory


Future Supercomputer Technologies

Commodity: 2^n multi \Rightarrow many core

Special: *El Dorado, Cyclops, PiM*

Accelerators


- **FPGA:** DSP \Rightarrow HPEC \Rightarrow HPC 
- **Cell:** Sony, Toshiba, **IBM** 
- **GPUs:** \Rightarrow μ P 
- **Array:**  “niche”



What's an FPGA? Your "custom chip"





What's an FPGA? Your “custom chip”





Xilinx Virtex4 FPGA:

What's an FPGA? Your "custom chip"




Xilinx Virtex4 FPGA: 89K slices (miniCPUs)

What's an FPGA? Your "custom chip"






Xilinx Virtex4 FPGA: 89K slices (miniCPUs)



FPGA Logic slice

What's an FPGA? Your "custom chip"



Xilinx Virtex4 FPGA: 89K slices (miniCPUs)

FPGA Logic slice

- Logic array: user-tailored to application
- On-chip RAM, multipliers & PowerPCs
- Gigabit transceivers/DSP blocks => FastIO/precision
- 100–1000 operations/clock cycle

Why FPGAs?



*High clock rate is a cost, not a benefit;
it drives up costs of everything else...*
-- eWeek

Why FPGAs?

- **Performance:** optimal silicon use (maximize parallel ops/cycle)
- **Rapid growth:** Cells, Speed, I/O
- **Power:** 1/10th CPUs
- **Flexible:** *tailor* to application
- **Advances:** Telecom spinoff




*High clock rate is a cost, not a benefit;
it drives up costs of everything else...*
-- eWeek

Why FPGAs?

- **Performance:** optimal silicon use (maximize parallel ops/cycle)
- **Rapid growth:** Cells, Speed, I/O
- **Power:** 1/10th CPUs
- **Flexible:** *tailor* to application
- **Advances:** Telecom spinoff




High clock rate is a cost, not a benefit; it drives up costs of everything else... -- eWeek




Why FPGAs?


- **Performance:** optimal silicon use (maximize parallel ops/cycle)
- **Rapid growth:** Cells, Speed, I/O
- **Power:** 1/10th CPUs
- **Flexible:** *tailor* to application
- **Advances:** Telecom spinoff



High clock rate is a cost, not a benefit; it drives up costs of everything else...
-- eWeek




Exploring programming options



Viva: Graphical Icons—3-dimensional

Exploring programming options


Gauss matrix solver



Viva: Graphical Icons—3-dimensional


Exploring programming options

Gauss matrix solver



Viva: Graphical Icons—3-dimensional


Compiler, simulator, and debugger



MitrionC: Text/flow—1-dimensional


Exploring programming options

Gauss matrix solver



Viva: Graphical Icons—3-dimensional

Compiler, simulator, and debugger



MitrionC: Text/flow—1-dimensional

+ Carte/SRC, CHiMPS-VHDL/Xilinx ,  DSPlogic

Applications




Applications

- **Genomics**
- **Matrix Equation Solution**
- **Molecular Dynamics, Weather/Climate**



ORNL FPGA hardware/tools

- SRC-6 (Carte), Digilent (Viva, VHDL), Nallatech (Viva)
- Cray XD1 (MitrionC, VHDL):
6 FPGAs + 144 Opterons
- SGI RASC-Altix/Virtex4s (MitrionC)
- CHiMPS (Bee2 => Cray XD1 => DRC => XT4)
(Xilinx early access)






Cray XD1



RASC_{sgi}



100x Genomics Speedup/FPGA for up to 150 FPGAs



Openfpga.org Smith-Waterman Benchmark

- **FASTA** (University of Virginia) application
<http://fasta.bioch.virginia.edu>
- Uses **search34** code & Cray **SWA** core
- Human Genome Data: 4GB compressed
3685 searches (MPI on ORNL Cray XD1)




Alignment of ACGAACCCTTGC and ACGTATGC

	0	A	C	G	T	A	T	G	C
0	0	0	0	0	0	0	0	0	0
A	0	2	0	0	0	2	0	0	0
C	0	0	4	2	1	0	1	0	2
G	0	0	2	6	4	3	2	3	1
A	0	2	1	4	5	6	4	3	2
A	0	2	1	3	3	7	5	4	3
C	0	2	4	2	2	5	6	4	6
C	0	0	2	3	1	4	4	5	6
C	0	0	2	1	2	3	3	3	7
T	0	0	0	1	3	2	5	3	5
T	0	0	0	0	3	2	4	4	4
G	0	0	0	2	1	2	2	6	4
C	0	0	2	0	1	0	1	4	8

Final alignment

A	C	G	A	A	C	C	T	T	G	C	
A	C	G	T	A	T	G	C

Search34 Computation Profile




98.61% is FLOCAL_ALIGN => VHDL kernel

Smith-Waterman

Parallel Score Calculation

		Query Sequence						
		0	A	C	G	T	...	C
Database Sequence	0	0	0	0	0	0	0	0
	C	0	0	0	0	0	0	0
	G	0	0	0	0	0	0	0
	T	0	0	0	0	0	0	PE N
	⋮	0	0	0	0	0	PE	↓
	T	0	0	0	0	PE 4	↓	
	A	0	0	0	PE 3	↓		
	A	0	0	PE 2	↓			
	G	0	PE 1	↓				
	C	0	↓					
A	0							

Overall Algorithm



100x* DNA Sequence Speedup

Bacillus anthracis Human DNA comparison




*Virtex-4 FPGA vs 2.2 GHz Opteron on Cray XD1

100x* DNA Sequence Speedup

Bacillus anthracis Human DNA comparison



8k w/align 16k w/align 8k w/o align 16k w/o align



*Virtex-4 FPGA vs 2.2 GHz Opteron on Cray XD1


DNA Sequencing* Time on 150 FPGAs

* Human-Mouse DNA Compare (FASTA)

“Non-dedicated” FPGAs

Dedicated

**FPGA
Jobs**



Search Time for 150 FPGAs (days)

DNA Sequencing: Speed* on 150 FPGAs

*State-of-the-art: **G**iga **C**ell **U**pdates **P**er **S**econd (**GCUPS**)

❖ **DNA Characters:** Human = 155 million, Mouse = 165 million

Total Compares = 155M x 165M x 106² x 2
= 51x10¹⁵ Cell Updates

❖ **Sequential FPGA ==> 138 days (11,923,200 secs) ==> 4.3 TCUPS**
(51x10¹⁵/11,923,200 Tera CUPS)

❖ **Parallel (actual) ==> 12.9 days (1,114,560 secs) ==> 46 TCUPS**

❖ **Parallel (dedicated) ==> 1 day (86,400 secs) ==> 605 TCUPS**

Speedup on 150 FPGAs*

1 Opteron ==> **20 years** (240 mos)

1 FPGA ==> **5 months**

150 Opterons ==> **6 weeks**



150 FPGAs ==> **1 day** ==> 49X speedup (VirtexII)

==> 7,350X faster than 1 Opteron (VirtexIIs)



==> 14,700X faster than 1 Opteron (Virtex4s)

***Compared to one 2.2 GHz Opteron**

37x* LU Decomposition FPGA Speedup 10x for Matrix Equation Solver



37x* LU Decomposition FPGA Speedup 10x for Matrix Equation Solver



*Virtex-II vs 2.2 GHz Opteron

37x* LU Decomposition FPGA Speedup 10x for Matrix Equation Solver





Table 6: LU implementation on XC2VP50-7

Design	Double FP	Single FP	S10e5
PE amount	8	16	32
Max size	128	256	256
Achievable Frequency	120MHz	150MHz	150MHz
Slices	27,005 (57%)	14792 (59%)	14730 (62%)
BRAMs	68 (29%)	129 (55%)	65 (28%)
MULT18X18	128 (55%)	64 (27%)	32 (13%)



*Virtex-II vs 2.2 GHz Opteron

37x* LU Decomposition FPGA Speedup 10x for Matrix Equation Solver





Table 6: LU implementation on XC2VP50-7

Design	Double FP	Single FP	S10e5
PE amount	8	16	32
Max size	128	256	256
Achievable Frequency	120MHz	150MHz	150MHz
Slices	27,005 (57%)	14792 (59%)	14730 (62%)
BRAMs	68 (29%)	129 (55%)	65 (28%)
MULT18X18	128 (55%)	64 (27%)	32 (13%)

Benefits:

- High performance of LP arithmetic
- High precision accuracy
- Speedup increases with matrix size (LU dominates calculations)



*Virtex-II vs 2.2 GHz Opteron

37x* LU Decomposition FPGA Speedup 10x for Matrix Equation Solver





Table 6: LU implementation on XC2VP50-7

Design	Double FP	Single FP	S10e5
PE amount	8	16	32
Max size	128	256	256
Achievable Frequency	120MHz	150MHz	150MHz
Slices	27,005 (57%)	14792 (59%)	14730 (62%)
BRAMs	68 (29%)	129 (55%)	65 (28%)
MULT18X18	128 (55%)	64 (27%)	32 (13%)

Benefits:
High performance of LP arithmetic
High precision accuracy
Speedup increases with matrix size
(LU dominates calculations)




First mixed-precision LU & solver for FPGAs

*Virtex-II vs 2.2 GHz Opteron

Ported Weather-Climate code Spectral Transform Shallow Water Model (STSWM) to **FPGAs**




Ported Weather-Climate code Spectral Transform Shallow Water Model (STSWM) to FPGAs



Profile-Develop
HLL




HLL compiler
CHiMPS, Mitrion
(FPGA Tools Inside)



FPGA
speedup


Ported Weather-Climate code Spectral Transform Shallow Water Model (STSWM) to FPGAs



Profile-Develop HLL




HLL compiler
CHiMPS, Mitrion
(FPGA Tools Inside)



FPGA speedup


Profile



For profile:
Data sample source as 0.01 seconds.

% cumulative	self	total	%	name			
time	seconds	seconds	calls	calls			
20.80	40.07	11	3.64	errand_			
18.82	36.27	129	0.28	vpassm_			
15.40	106.00	29	66	2.97	fitmoo_		
9.02	124.65	18	55	11	1.69	2.95	shrms_
8.12	140.19	15	64	11	1.42	1.74	shnrc_
7.49	154.48	14	43	0.44	0.44	ms9d_	
4.02	162.39	7	77	1	7.77	192.64	MAIN_
3.44	169.01	6	62	1	6.62	6.74	calp_
2.90	174.59	5	58	1	5.58	8.12	del_
2.28	179.52	4	53	10	0.49	10.22	advect_
2.00	183.37	3	85	10	0.39	0.39	ms9a_
1.98	187.15	3	78	356	0.01	0.01	ordlog_


Ported Weather-Climate code Spectral Transform Shallow Water Model (STSWM) to FPGAs



Profile-Develop HLL




HLL compiler
CHiMPS, Mitrion
(FPGA Tools Inside)



FPGA speedup


Profile




For profile:
Data sample counts as 0.01 seconds.

% cumulative	self	total	time	seconds	seconds	calls	calls	local	name
20.82	70.07	40.07	11	3.64	5.23	errand...			
18.82	76.24	36.27	129	0.28	0.28	vpassm...			
15.40	106.00	29.66	10	2.97	2.97	fft...			
8.12	140.19	15.64	11	1.69	2.95	shtrns...			
7.49	154.49	14.43	11	1.42	1.74	shtrns...			
4.93	162.39	7.77	33	0.44	0.44	fft...			
3.44	169.01	6.62	1	7.77	192.64	MAIN...			
2.90	174.59	5.58	1	6.62	6.74	calc...			
2.28	179.52	4.93	10	0.49	10.22	advect...			
1.90	183.37	3.85	10	0.39	0.39	fft...			
1.86	187.15	3.78	356	0.01	0.01	ordlog...			

Find parallelism: 80% FFTs




Ported Weather-Climate code Spectral Transform Shallow Water Model (STSWM) to FPGAs



Profile-Develop HLL





HLL compiler
CHiMPS, Mitrion
(FPGA Tools Inside)




FPGA speedup

Profile




Find parallelism: 80% FFTs



Goal

More GF/\$ GF/Watt



Model 5-10X faster

Exascale computing and the resiliency challenge

Climate

Improve our understanding of complex biogeochemical cycles that underpin global ecosystem functions and control the sustainability of life on Earth

Energy


Develop and optimize new pathways for renewable energy production and development of long-term, secure nuclear energy sources, optimize energy efficiency, understand "water."

Biology


Enhance our understanding of the roles and functions of microbial life on Earth, and adapt these capabilities for human use. Understand "water."

Socioeconomics

Develop integrated modeling environments for coupling the wealth of observational data and complex models to economic, energy, and resource models




Processor Family Share of Top500




Source: <http://www.top500.org>

Performance of Application Specific Hardware

- Increased memory bandwidth and processing capability
- Dynamically reloadable with application specific functions (“personalities”)



The performance of one rack of Convey Hybrid-Core Computers




the performance of **6 or more**
racks of commodity servers

Provides higher absolute performance and more performance per dollar, watt, and unit of floor space


FFT Performance with the SPvector personality




1-d FFT performance



2-d FFT performance



Operating Systems Used On Top500 Supercomputers



Source: www.top500.org



Storaasli - Sept 2009



Summary



- ORNL HPC & FPGA research:

Acknowledgment: This U.S Government work (public domain) was supported by the Office of Science, U. S. Department of Energy Contract DE-AC05-00OR22725. The authors also thank the US Naval Research Lab. for access to the 150 FPGA Cray XD.

Summary



- **ORNL HPC & FPGA research:**
 - **ORNL Tops in Supercomputing for Science**
(3 PetaFLOP supercomputers - planning ExaFLOP)
 - **GPUs & FPGAs growth in HPC**
 - **Partners:** *Cray, Xilinx, UT, NRL, NVidia, SGI, Convey*

Acknowledgment: This U.S Government work (public domain) was supported by the Office of Science, U. S. Department of Energy Contract DE-AC05-00OR22725. The authors also thank the US Naval Research Lab. for access to the 150 FPGA Cray XD.



Summary



- ORNL HPC & FPGA research:
 - ORNL Tops in Supercomputing for Science
(3 PetaFLOP supercomputers - planning ExaFLOP)
 - GPUs & FPGAs growth in HPC
 - Partners: *Cray, Xilinx, UT, NRL, NVidia, SGI, Convey*
 - Speedup: **10X** Eqn Soln, **100X/FPGA** DNA Sequencing
 - Scalable: to 150 FPGAs (Genomics)

Acknowledgment: This U.S. Government work (public domain) was supported by the Office of Science, U. S. Department of Energy Contract DE-AC05-00OR22725. The authors also thank the US Naval Research Lab. for access to the 150 FPGA Cray XD.



Summary



- ORNL HPC & FPGA research:
 - ORNL Tops in Supercomputing for Science
(3 PetaFLOP supercomputers - planning ExaFLOP)
 - GPUs & FPGAs growth in HPC
 - Partners: *Cray, Xilinx, UT, NRL, NVidia, SGI, Convey*
 - Speedup: **10X** Eqn Soln, **100X/FPGA** DNA Sequencing
 - Scalable: to 150 FPGAs (Genomics)
- ORNL hiring

Acknowledgment: This U.S. Government work (public domain) was supported by the Office of Science, U. S. Department of Energy Contract DE-AC05-00OR22725. The authors also thank the US Naval Research Lab. for access to the 150 FPGA Cray XD.



Contact

Olaf O. Storaasli

Future Technologies Group

Google **Olaf ORNL**

THANK YOU

Question



Answer